Labstat
A Certified Group Company
10427 Cogdill Road, Suite 500
Knoxville, TN, 37932, US
DEA Number: RC0639128

Labstat
Easy Mineral Water - Grapefruit
Unknown
Matrix: Infused Product

Certificate of Analysis

Sample:KN31003004-003
Harvest/Lot ID: 09-19-23
Batch#: 9/19/2023
Cultivation Facility: 01_23-40075
Processing Facility :
Batch Date: 09/19/23
Sample Size Received: 354.882 ml
Total Batch Size: 361090.43 ml
Retail Product Size: 354.882 ml
Ordered : 09/28/23
Sampled : 09/28/23
Completed: 10/06/23

Oct 06, 2023 | Creek Leaf 1817, LLC
2901 3rd Ave N
Birmingham, AL, 35203, US

Easy • HEMP CO •

PASSED

PRODUCT IMAGE

SAFETY RESULTS

Pesticides	Heavy Metals	Microbials	Mycotoxins	Residuals Solvents	Filth	Water Activity	Moisture
NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED

MISC.

Terpenes
NOT TESTED

Potency

PASSED

Total THC
0.0008%
Total THC/Can : 2.804 mg

Total CBD
0.0008%
Total CBD/Can : 2.733 mg

Total Cannabinoids
0.0016%
Total Cannabinoids/Can : 5.537 mg

	CBDVA	CBDV	CBDA	CBGA	CBG	CBD	D9-THCV	D8-THCV	CBN	D9-THC	D8-THC	D10-THC	CBC	THCA
%	ND	ND	ND	ND	ND	0.0008	ND	ND	ND	0.0008	ND	ND	ND	ND
mg/ml	ND	ND	ND	ND	ND	0.0077	ND	ND	ND	0.0079	ND	ND	ND	ND
LOD	0.0002 %	0.0002 %	0.0002 %	0.0002 %	0.0002 %	0.0002 %	0.0002 %	0.0002 %	0.0002 %	0.0002 %	0.0002 %	0.0002 %	0.0002 %	0.0002 %

Analyzed by: 2657
Weight: 1.9999g
Extraction date: 10/04/23 13:50:34
Extracted by: 2990,2657

Analysis Method : SOP.T.30.031.TN & SOP.T.40.031.TN Expanded Measurement of Uncertainty: Flower Matrix d9-THC: ± 0.100, THCa: ± 0.124, TOTAL THC ± 0.112. These uncertainties represent an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor k=2 for a normal distribution.
Analytical Batch : KN004178POT
Instrument Used : E-SHI-008
Running on : N/A
Reviewed On : 10/05/23 17:04:25
Batch Date : 10/03/23 08:19:10

Dilution : N/A
Reagent : 051123.03; 100422.02; 092523.R05; 092523.R01; 083123.04; 051123.13; 100323.R02
Consumables : 302110210; 22/04/01; 220725; B9291.100; 230105059D; 239146; 947B9291.271; GD220003; 1350331; 6121219; 600185
Pipette : E-VWR-120

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV/PDA detection (HPLC-UV/PDA). All cannabinoids have an LOQ of 0.01%.

	D9-THCVA	D8-THCVA	TOTAL THC VA	9S-HHC	9R-HHC	TOTAL HHC	D9-THCP	D8-THCP	TOTAL THC P	D9-THC-O	D8-THC-O	TOTAL THC O
%	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
mg/ml	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
LOD	0.0002 %	0.0002 %	0.0002 %	0.0002 %	0.0002 %	0.0002 %	0.00002 %	0.00002 %	0.00002 %	0.0002 %	0.0002 %	0.0002 %

Analyzed by: 2990
Weight: 1.9999g
Extraction date: 10/03/23 12:00:50
Extracted by: 2990

Analysis Method : SOP.T.30.031.TN, SOP.T.40.032.TN,SOP.T.40.151.TN
Analytical Batch : KN004180CAN
Instrument Used : E-SHI-008
Running on : N/A
Reviewed On : 10/05/23 14:21:09
Batch Date : 10/03/23 11:40:57

Analysis is performed using High Performance Liquid Chromatography with UV/PDA detection (HPLC-UV/PDA) and/or GC-MS with Liquid Injection (Gas Chromatography – Mass Spectrometer). LOQ of 0.01% for THCVA & HHC, 0.0012% for THCP and 0.05% for THCO.*ISO Pending

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV/PDA detection (HPLC-UV/PDA). All cannabinoids have an LOQ of 0.01%.

This report shall not be reproduced, unless in its entirety, without written approval from Labstat. This report is an Labstat certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request.The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Sue Ferguson
Lab Director
State License # n/a
ISO Accreditation # 17025:2017

Signature

10/06/23
Signed On